



Exclusive Dealer of  
Jindal Aluminium Ltd.



**MAHARASHTRA ALUMINIUM CENTRE**



## ABOUT US

### History

With a history of around number of years and a reputation built on trust and dedication, Maharashtra Aluminium Centre began its operations back in year 1975.

### Present Scenario

We are exclusive dealers for **Jindal Aluminium products**, having a wide variety like Casement Windows, Sliding Windows & Doors to extrusions, like Bars, Rods & Tubes of various shapes and dimensions.

Today, we cater to the construction and allied industry in the state, with a strong dealer network across Mumbai. We deal in all kinds of Aluminium Sections, Sheets & Hardware Fittings based on the specific needs of the customer.

Just for knowledge and the ability to go the extra mile has always been our plus points, giving us the cutting edge in this highly global and dynamic business environment.

### Our Infrastructure

With our corporate office located at Mumbai, we also have warehouses to store and supply any quantity of aluminium products any where in India.

We have a team of dedicated members always striving to deliver the best in all form of business, be it the product or services.

We would like the user friendly members of this planet earth to know the facts and reasons of this lightest metal on earth been used extensively by a majority on a large scale.



✓ **300+** tons  
of Ready Stock Material

✓ **20000** sq.ft.  
of Storage space


✓ **5000+**  
Satisfied Customers  
and counting

## The Extra benefits of Aluminium Extrusions

Aluminium is an extremely versatile fenestration material, with a wide range of patterns, shades, and styles to choose from. Aluminium frames are guaranteed to be corrosion-free after a series of treatments before the glass panes are laced into the frames. When compared to other materials, Aluminium section windows have an exceptionally long life expectancy. Temperature differences, extreme weather conditions, or lack of maintenance do not affect these structures.



SQUARE TUBES



Sr. No.	Section No.	A	B	Weight Kg/m
1	14490	11.00	0.60	0.067
2	14556	11.50	0.65	0.076
3	14519	12.00	0.55	0.068
4	14481	12.00	0.64	0.078
5	14527	12.20	1.20	0.143
6	14485	12.70	0.81	0.104
7	14451	12.70	1.22	0.151
8	14452	12.70	1.63	0.195
9	14575	15.00	1.50	0.219
10	14555	15.50	0.65	0.104
11	14502	15.88	1.27	0.200
12	14491	16.00	1.00	0.162
13	14478	17.00	0.62	0.109
14	14474	17.50	1.44	0.245
15	14472	18.00	1.22	0.221
16	14531	18.00	2.00	0.345
17	14512	18.15	0.64	0.121
18	14486	18.50	0.69	0.133
19	14496	18.50	0.90	0.171
20	14544	19.00	3.00	0.518
21	14482	19.05	1.13	0.219
22	14453	19.05	1.22	0.235
23	14542	19.05	1.57	0.296
24	14454	19.05	1.63	0.307
25	14560	19.05	2.36	0.425
26	14552	19.05	3.18	0.545
27	14521	20.00	1.50	0.299
28	14509	20.00	1.70	0.335
29	14550	20.00	2.00	0.389
30	14536	20.00	3.25	0.588
31	14532	22.50	0.52	0.123
32	14483	22.50	0.55	0.130
33	14479	22.50	0.63	0.148
34	14487	23.00	0.76	0.182
35	14477	23.50	0.87	0.212
36	14557	23.50	0.92	0.224
37	14469	23.50	1.02	0.247
38	14520	24.50	0.67	0.172
39	14470	25.00	1.50	0.381
40	14504	25.00	1.80	0.451
41	14516	25.00	2.80	0.671
42	14567	25.20	2.50	0.613
43	14476	25.40	0.82	0.219
44	14541	25.40	0.91	0.241
45	14466	25.40	1.25	0.326

Sr. No.	Section No.	A	B	Weight Kg/m
46	14551	25.40	1.57	0.404
47	14455	25.40	1.63	0.418
48	14456	25.40	2.00	0.505
49	14554	25.40	2.36	0.587
50	14465	25.40	2.41	0.598
51	14505	30.00	1.80	0.548
52	G100257	30.00	2.00	0.605
53	14497	30.00	3.00	0.874
54	14546	31.00	0.70	0.229
55	14467	31.75	1.25	0.412
56	14457	31.75	1.63	0.530
57	14458	31.75	2.00	0.643
58	14540	32.00	0.58	0.197
59	14529	32.00	1.70	0.556
60	14475	32.00	2.60	0.825
61	14488	35.00	0.93	0.342
62	14513	35.00	2.00	0.712
63	14539	36.00	0.70	0.267
64	14535	37.35	4.70	1.657
65	14524	37.50	0.80	0.317
66	14468	38.10	1.25	0.497
67	14511	38.10	1.37	0.547
68	14459	38.10	1.63	0.642
69	S6276	38.10	2.00	0.780
70	14460	38.10	2.13	0.827
71	14461	38.10	2.41	0.929
72	14533	38.10	5.00	1.787
73	14534	38.10	6.35	2.177
74	14518	40.00	0.80	0.339
75	14506	40.00	1.80	0.743
76	14564	40.00	2.00	0.821
77	14514	40.00	2.85	1.143
78	14480	40.00	3.00	1.198
79	14563	40.00	4.00	1.555
80	14522	44.45	2.00	0.917
81	14558	44.45	2.36	1.073
82	14473	44.46	3.20	1.426
83	14471	50.00	1.18	0.621
84	14525	50.00	1.50	0.785
85	14510	50.00	1.70	0.887
86	14462	50.00	2.00	1.037
87	14515	50.00	2.30	1.185
88	14503	50.00	2.70	1.379
89	14545	50.00	3.00	1.523
90	14553	50.80	2.36	1.235
91	14463	50.80	2.40	1.254
92	14464	50.80	3.05	1.573
93	14543	50.80	3.18	1.635
94	14565	60.00	2.00	1.253
95	14498	60.00	4.00	2.419




**SQUARE TUBES**

Sr. No.	Section No.	A	B	Weight Kg/m
96	14500	62.00	3.80	2.388
97	14489	62.00	5.00	3.078
98	14559	63.50	1.90	1.264
99	14492	63.50	2.38	1.571
100	14568	63.50	3.25	2.115
101	S6806	75.00	2.00	1.577
102	14507	75.00	2.70	2.108
103	14526	75.00	3.20	2.481
104	14538	76.00	4.76	3.662
105	14493	76.20	2.38	1.897
106	14562	80.00	4.00	3.283
107	14548	87.00	2.00	1.836
108	14549	87.00	2.90	2.634
109	14494	87.00	3.80	3.415
110	14484	87.00	4.00	3.586
111	14495	87.00	5.00	4.428
112	14508	100.00	3.00	3.142
113	S6659	100.00	6.00	6.091
114	G100274	100.00	8.00	7.949
115	14566	101.30	6.35	6.512
116	14561	101.60	2.36	2.529
117	14517	101.60	3.18	3.374
118	S6490	101.60	12.70	12.194
119	14528	150.00	3.00	4.763
120	14547	150.00	5.00	7.830
121	14537	178.00	9.00	16.427
122	14530	200.00	4.00	8.467



RECTANGULAR TUBES



Sr. No.	Section No.	A	B	C	Weight Kg/m
1	14160	12.00	9.16	2.00	0.185
2	14145	20.00	10.00	0.75	0.115
3	14059	20.00	10.00	1.20	0.179
4	14058	20.00	10.00	1.50	0.219
5	14168	20.00	13.00	2.00	0.313
6	14203	22.00	16.00	1.50	0.284
7	14202	22.00	18.00	1.50	0.300
8	14136	25.00	10.00	2.50	0.405
9	14196	25.00	21.00	1.80	0.412
10	14060	25.40	12.70	0.81	0.160
11	14020	25.40	12.70	1.22	0.235
12	14014	25.40	19.05	0.85	0.195
13	14051	25.40	19.05	1.08	0.247
14	14197	25.40	19.05	1.25	0.283
15	14001	25.40	19.05	1.63	0.363
16	14138	30.00	20.00	2.00	0.497
17	14185	30.30	18.00	1.50	0.367
18	14204	32.00	23.00	2.00	0.551
19	14150	35.00	15.00	1.60	0.404
20	14046	36.00	23.50	0.64	0.202
21	14132	36.00	23.50	0.56	0.177
22	14146	36.00	24.00	0.70	0.221
23	14147	36.00	24.00	0.78	0.246
24	14148	36.00	24.00	0.88	0.276
25	14149	36.00	24.00	0.96	0.301
26	14095	36.50	24.50	0.70	0.225
27	14042	37.00	24.00	0.80	0.260
28	14102	38.10	19.05	1.50	0.439
29	14028	38.10	25.40	0.95	0.316
30	14015	38.10	25.40	1.10	0.364
31	14067	38.10	25.40	1.44	0.471
32	14002	38.10	25.40	2.00	0.643
33	14010	38.10	25.40	2.41	0.764
34	14086	38.10	25.40	3.18	0.980
35	14159	38.10	25.40	5.00	1.445
36	14012	40.00	15.00	1.50	0.421
37	14117	40.00	20.00	1.20	0.373
38	14115	40.00	20.00	1.80	0.548
39	14019	40.00	20.00	2.00	0.604
40	14088	40.00	20.00	2.80	0.823
41	G100196	40.00	30.00	2.00	0.713
42	S5382	42.00	12.00	1.50	0.413
43	14043	44.45	25.40	3.20	1.096
44	14133	46.50	23.50	0.62	0.230
45	14047	46.50	23.50	0.74	0.273

Sr. No.	Section No.	A	B	C	Weight Kg/m
46	14105	47.00	40.00	2.15	0.960
47	14041	48.00	24.00	0.80	0.304
48	14045	48.00	24.00	1.06	0.402
49	14083	48.00	24.00	1.80	0.665
50	14096	49.00	24.50	0.75	0.292
51	14091	49.84	25.94	2.00	0.775
52	14166	50.00	12.00	2.00	0.626
53	14144	50.00	25.00	2.00	0.767
54	14151	50.00	28.00	3.00	1.166
55	14142	50.00	38.00	1.50	0.688
56	14161	50.00	38.00	2.00	0.907
57	14137	50.00	40.00	1.60	0.750
58	14141	50.80	25.40	0.85	0.342
59	14027	50.80	25.40	0.95	0.381
60	14093	50.80	25.40	1.04	0.414
61	14036	50.80	25.40	1.13	0.451
62	14100	50.80	25.40	1.20	0.478
63	14068	50.80	25.40	1.44	0.570
64	14011	50.80	25.40	1.50	0.593
65	14112	50.80	25.40	1.60	0.631
66	14003	50.80	25.40	2.03	0.791
67	14188	50.80	25.40	2.36	0.911
68	14009	50.80	25.40	2.41	0.929
69	14118	50.80	25.40	3.00	1.137
70	14004	50.80	38.10	3.05	1.363
71	14119	53.00	38.10	1.20	0.574
72	14089	53.00	38.10	1.80	0.850
73	14213	54.00	34.00	2.00	0.907
74	14179	54.60	24.30	1.30	0.536
75	14016	55.00	35.00	3.00	1.360
76	14048	60.00	36.00	0.76	0.390
77	14212	60.00	40.00	2.00	1.037
78	14152	60.00	40.00	4.00	1.987
79	14080	61.00	37.00	0.90	0.471
80	14039	61.00	37.00	1.10	0.569
81	14054	62.00	24.00	0.84	0.382
82	14044	63.00	38.10	1.14	0.608
83	14070	63.00	38.10	1.47	0.781
84	14069	63.00	38.10	2.10	1.093
85	14005	63.00	38.10	2.95	1.516
86	14195	63.00	45.00	3.00	1.652
87	14055	63.50	38.10	1.02	0.547
88	14029	63.50	38.10	1.20	0.643
89	14073	63.50	38.10	1.70	0.901
90	14013	63.50	38.10	2.00	1.054
91	14030	65.00	25.00	0.98	0.466
92	14031	65.00	25.00	1.25	0.590
93	14177	65.00	45.00	1.50	0.867
94	14198	65.00	50.00	3.00	1.766
95	14101	68.50	38.10	1.75	0.974
96	14106	70.00	20.00	2.00	0.929
97	S5612	70.00	20.00	3.50	1.569
98	14099	70.00	35.00	1.50	0.826



## RECTANGULAR TUBES

Sr. No.	Section No.	A	B	C	Weight Kg/m
99	14076	72.00	24.00	0.81	0.414
100	14025	72.00	24.00	1.20	0.606
101	14026	74.80	25.10	1.63	0.851
102	14153	75.00	12.00	1.80	0.811
103	14158	75.00	20.00	2.50	1.215
104	14097	75.00	24.50	0.80	0.423
105	14056	75.00	25.00	1.03	0.547
106	14034	75.00	25.00	1.15	0.607
107	14155	75.00	25.00	1.50	0.786
108	14017	75.00	25.00	2.00	1.036
109	14032	75.00	25.00	2.80	1.427
110	14140	75.00	25.00	3.25	1.641
111	14033	75.00	35.00	2.80	1.578
112	14120	75.00	36.00	0.80	0.472
113	14182	75.00	38.00	2.00	1.177
114	S6333	75.00	45.00	5.00	2.970
115	14178	75.00	50.00	6.00	3.661
116	14187	76.20	25.40	1.57	0.834
117	14186	76.20	25.40	3.18	1.635
118	14024	76.20	44.46	3.20	1.974
119	14090	77.50	37.50	0.80	0.489
120	14082	78.00	35.00	1.00	0.600
121	14061	78.00	38.00	1.00	0.615
122	14167	80.00	15.00	1.50	0.745
123	14139	80.00	20.00	2.00	1.037
124	14193	80.00	40.00	4.00	2.419
125	14128	80.00	50.00	2.00	1.360
126	14022	81.25	38.10	0.95	0.607
127	14072	81.25	38.10	1.25	0.781
128	14071	81.25	38.10	1.75	1.093
129	14006	81.25	38.10	2.64	1.626
130	14181	82.00	38.00	2.00	1.253
131	14172	82.50	38.00	1.25	0.797
132	14110	82.50	40.50	1.30	0.845
133	14007	82.60	38.10	3.25	2.004
134	14092	89.22	45.66	2.00	1.414
135	14192	90.00	15.00	1.50	0.826
136	14131	90.00	36.00	0.85	0.571
137	14215	90.00	60.00	2.00	1.577
138	14206	90.56	47.38	2.10	1.517
139	14121	92.00	36.00	0.90	0.613
140	14165	94.00	54.00	3.50	2.665
141	14052	95.00	24.00	0.95	0.601
142	14053	95.00	24.00	1.17	0.738
143	14063	95.00	38.00	0.90	0.637
144	14199	95.00	53.00	3.50	2.665
145	14129	99.00	52.00	3.00	2.349
146	14200	99.00	52.00	4.00	3.089
147	14162	100.00	15.00	1.50	0.907
148	14103	100.00	15.00	2.00	1.198
149	14065	100.00	20.00	1.40	0.886
150	14175	100.00	25.00	1.50	0.988
151	14194	100.00	25.00	2.00	1.307

Sr. No.	Section No.	A	B	C	Weight Kg/m
152	14114	100.00	35.00	3.00	2.089
153	14062	100.00	40.00	1.10	0.818
154	14023	100.00	40.00	1.30	0.976
155	14074	100.00	40.00	1.54	1.139
156	14018	100.00	40.00	2.00	1.469
157	14154	100.00	50.00	1.40	1.113
158	14176	100.00	50.00	1.50	1.190
159	14066	100.00	50.00	1.70	1.345
160	S4409	100.00	50.00	2.00	1.576
161	14087	100.00	50.00	2.80	2.183
162	14064	100.00	50.00	3.00	2.332
163	14085	100.00	50.00	3.25	2.518
164	14211	100.00	50.00	5.00	3.780
165	14143	100.00	50.00	6.00	4.471
166	14077	101.60	25.40	1.10	0.739
167	14037	101.60	25.40	1.35	0.906
168	14050	101.60	25.40	1.63	1.089
169	14190	101.60	25.40	3.18	2.072
170	14035	101.60	44.75	1.35	1.051
171	14075	101.60	44.75	1.75	1.367
172	14021	101.60	44.75	2.40	1.834
173	14008	101.60	44.75	3.18	2.404
174	14189	101.60	50.80	3.18	2.508
175	14049	101.60	50.80	4.78	3.686
176	14124	101.60	50.80	6.35	4.790
177	14130	101.60	44.75	2.00	1.537
178	14104	113.42	58.81	2.10	1.905
179	14183	116.00	38.00	2.00	1.620
180	14220	120.00	56.00	5.00	4.482
181	14231	120.00	60.00	3.00	2.819
182	14122	120.00	60.00	5.00	4.590
183	14057	123.00	24.00	1.06	0.828
184	14170	123.00	24.00	2.00	1.544
185	14113	124.00	48.75	4.00	3.559
186	S6577	125.00	25.00	2.00	1.577
187	14209	125.00	50.00	2.70	2.473
188	14210	125.00	62.50	3.00	2.940
189	14040	127.00	25.40	1.30	1.052
190	14094	127.00	25.40	1.79	1.439
191	14164	127.00	25.40	2.00	1.603
192	14157	127.00	25.40	3.18	2.508
193	14079	127.00	38.10	1.20	1.051
194	14038	127.00	38.10	1.35	1.184
195	14078	127.00	38.10	1.74	1.518
196	14174	127.00	44.45	1.95	1.764
197	14081	127.00	44.45	3.18	2.834
198	14134	127.00	44.45	5.00	4.359
199	14201	127.00	50.80	3.00	2.783
200	14111	127.00	50.80	4.76	4.325
201	14180	127.00	63.50	4.00	3.942
202	14214	142.00	55.00	2.50	2.592
203	14156	146.00	58.00	2.50	2.686
204	14169	150.00	25.00	1.50	1.393




**RECTANGULAR TUBES**


Sr. No.	Section No.	A	B	C	Weight Kg/m
205	14184	150.00	38.00	2.00	1.987
206	14135	150.00	44.45	3.18	3.230
207	14116	150.00	50.00	2.00	2.116
208	S6187	150.00	50.00	2.50	2.633
209	14205	150.00	50.00	3.00	3.143
210	14125	150.00	50.00	4.78	4.916
211	14109	150.00	75.00	2.00	2.386
212	14171	150.00	75.00	3.00	3.548
213	14123	150.00	75.00	3.50	4.120
214	14191	188.00	50.00	3.00	3.758
215	14207	200.00	50.00	5.00	6.480
216	S6810	200.00	65.00	2.50	3.510
217	14221	200.00	100.00	4.00	6.307
218	14126	200.00	100.00	5.00	7.830
219	14127	200.00	125.00	8.00	13.349
220	14173	200.00	150.00	10.00	17.820
221	14163	203.20	50.80	2.50	3.362
222	14107	203.20	50.80	3.20	4.279
224	14208	300.00	50.00	3.00	5.573




## DOOR SECTIONS



Sr. No.	Section No.	A	B	C	Weight Kg/m
1	19538	47.62	44.45	1.18	0.667
2	19547	47.62	44.45	1.35	0.759
3	19526	47.62	44.50	1.62	0.881
4	19569	47.62	44.45	2.02	1.052
5	19501	47.62	44.45	3.10	1.509
6	19585	50.00	44.50	1.90	1.030
7	19554	50.00	44.50	2.50	1.292
8	19516	53.70	44.45	2.30	1.238
9	19600	85.00	44.45	1.40	1.037
10	19550	85.00	44.45	1.56	1.139
11	19572	85.00	44.45	1.80	1.301
12	19560	85.00	44.45	2.00	1.417
13	19509	85.00	44.45	3.00	2.050
14	19592	85.00	44.45	3.26	2.200




Sr. No.	Section No.	A	B	Weight Kg/m
1	20006	25.00	2.40	0.918
2	20042	49.91	0.98	0.607
3	20086	49.91	1.30	0.753
4	19575	49.91	1.60	0.882
5	20060	49.91	2.01	1.072
6	20014	49.91	3.00	1.495
7	19625	83.50	1.28	0.976
8	19599	83.50	1.40	1.052
9	19551	83.50	1.54	1.139
10	19535	83.50	1.70	1.243
11	20111	83.50	2.11	1.497
12	19525	83.50	2.40	1.679
13	19583	83.50	3.18	2.145
14	19564	100.00	2.00	1.603
15	19653	100.00	3.00	2.302
16	20002	150.00	2.65	2.779
17	19596	150.00	3.00	3.116
18	19620	200.00	3.00	3.926



Sr. No.	Section No.	A	B	C	Weight Kg/m
1	19542	47.62	44.45	1.14	0.607
2	19527	47.62	44.45	1.74	0.881
3	20071	47.62	44.45	1.88	0.943
4	20061	47.62	44.45	2.17	1.072
5	19512	47.62	44.45	3.00	1.426
6	19548	47.62	44.50	1.42	0.737
7	19549	83.50	44.45	1.62	1.139
8	19582	83.50	44.45	1.87	1.300
9	19508	83.50	44.45	3.00	2.107
10	19647	83.50	44.45	4.00	2.609



## DOOR SECTIONS




Sr. No.	Section No.	A	B	C	D	Weight Kg/m
1	19539	47.62	44.45	1.40	10.20	0.719
2	19637	47.62	44.45	1.67	10.20	0.850
3	19528	47.62	44.45	1.74	10.16	0.881
4	19571	47.62	44.45	1.95	10.16	0.974
5	19503	47.62	44.45	3.18	10.16	1.501
6	19555	50.00	44.50	2.50	9.50	1.247
7	19580	83.50	44.45	1.49	9.50	1.055
8	20140	83.50	44.45	1.26	9.50	0.935
9	19581	83.50	44.45	2.00	9.50	1.384
10	19593	83.50	44.45	3.27	9.50	2.172
11	19648	83.50	44.45	4.00	9.50	2.609
12	19563	85.00	44.45	2.70	10.00	1.843
13	19529	95.25	44.45	1.70	25.40	1.301
14	19505	95.25	44.45	2.00	25.40	1.511
15	19556	101.60	44.50	2.50	25.00	1.943
16	19541	114.30	44.45	1.29	25.40	1.139
17	19534	114.30	44.45	1.35	10.15	1.190
18	19530	114.30	44.45	1.49	25.40	1.302
19	19623	114.30	44.45	1.68	10.15	1.459
20	19567	114.30	44.45	1.75	10.15	1.516
21	19559	114.30	44.45	1.95	10.15	1.674
22	19573	114.30	44.45	2.15	10.15	1.836
23	19574	114.30	44.45	2.15	25.40	1.836
24	19591	114.30	44.45	2.42	10.15	2.051
25	19510	114.30	44.45	3.18	10.15	2.646
26	19511	114.30	44.45	3.18	25.40	2.646
27	19517	150.00	44.45	2.20	25.40	2.376
28	19584	150.00	44.45	3.10	25.40	3.181
29	19621	200.00	44.45	3.00	25.40	3.894

19578


1.006 Kg/m



Sr. No.	Section No.	A	Weight Kg/m
1	19382	0.41	0.061
2	19366	0.49	0.071
3	19361	0.53	0.078
4	19352	0.70	0.096
5	19370	0.80	0.109
6	19360	0.90	0.124
7	19377	1.20	0.154




Sr. No.	Section No.	A	Weight Kg/m
1	20130	1.40	0.947
2	20024	1.70	1.158
3	20001	2.65	1.657
4	20137	3.18	1.954



Sr. No.	Section No.	A	Weight Kg/m
1	19613	1.40	0.830
2	19565	2.40	1.281

**PARTITION SECTIONS**


**DOUBLE GROOVE**



Sr. No.	Section No.	A	B	C	D	Weight Kg/m
1	20089	47.80	24.00	0.59	7.50	0.316
2	20050	50.80	25.40	0.63	7.50	0.350
3	20044	50.80	25.40	0.79	7.50	0.414
4	20079	50.80	25.40	0.98	7.50	0.496
5	20031	50.80	25.40	1.19	7.50	0.581
6	20017	50.80	25.40	1.34	8.00	0.651
7	20046	63.50	38.10	0.66	7.50	0.455
8	20069	63.50	38.10	0.83	7.50	0.547
9	20034	63.50	38.10	0.92	7.50	0.593
10	20053	63.50	38.10	1.08	7.50	0.686
11	20026	63.50	38.10	1.21	7.50	0.761
12	20062	63.50	38.10	1.28	8.00	0.805
13	20047	63.50	38.10	1.53	8.00	0.942
14	20072	63.50	38.10	1.85	8.00	1.095
15	20064	63.50	38.10	2.50	8.00	1.444
16	20004	63.50	38.10	3.18	8.00	1.790
17	20143	75.00	38.10	1.20	8.00	0.832
18	20144	75.00	45.00	1.25	8.00	0.908
19	20037	82.50	38.00	1.10	8.00	0.833
20	20124	89.00	32.00	1.50	8.00	1.079
21	20035	82.50	38.00	1.60	8.00	1.139
22	20160	82.50	38.00	3.18	8.00	2.115
23	20021	89.00	32.00	2.75	8.00	1.905
24	20147	92.00	31.75	1.30	8.00	0.972
25	20152	92.00	31.75	2.00	8.00	1.422
26	20051	101.60	44.45	1.20	8.00	1.060
27	20028	101.60	44.45	1.50	8.00	1.301
28	20076	101.60	44.45	1.93	8.00	1.608
29	20075	101.60	44.45	2.40	8.00	1.954
30	20057	101.60	44.45	2.50	8.00	2.050
31	20066	101.60	44.45	3.00	8.00	2.415
32	20010	101.60	44.45	3.18	8.00	2.683
33	20113	101.60	44.45	3.60	8.00	2.849
34	20145	116.00	44.50	1.50	8.00	1.404
35	20081	123.00	44.45	1.50	8.00	1.456


28745

0.156 Kg/m




19354

0.213 Kg/m




**PARTITION SECTIONS**  
**SINGLE GROOVE**




Sr. No.	Section No.	A	B	C	D	Weight Kg/m
1	20088	47.80	24.00	0.60	7.50	0.274
2	20058	50.00	25.00	2.00	8.00	0.849
3	20049	50.80	25.40	0.73	7.50	0.342
4	20043	50.80	25.40	0.91	7.50	0.414
5	20080	50.80	25.40	1.09	7.50	0.489
6	20030	50.80	25.40	1.30	8.00	0.581
7	20016	50.80	25.40	1.50	8.00	0.651
8	20045	63.50	38.10	0.75	7.50	0.455
9	20068	63.50	38.10	0.92	7.50	0.546
10	20033	63.50	38.10	1.01	7.50	0.595
11	20054	63.50	38.10	1.17	7.50	0.681
12	20027	63.50	38.10	1.31	8.00	0.758
13	20063	63.50	38.10	1.41	8.00	0.818
14	20125	63.50	38.10	1.50	8.00	0.861
15	20048	63.50	38.10	1.65	8.00	0.942
16	20073	63.50	38.10	1.95	8.00	1.092
17	20065	63.50	38.10	2.50	8.00	1.369
18	20005	63.50	38.10	3.18	8.00	1.777
19	20038	82.50	38.00	1.20	8.00	0.829
20	20036	82.50	38.00	1.70	8.00	1.139
21	20159	82.50	38.00	3.18	8.00	2.037
22	20158	82.50	82.50	1.80	8.00	1.633
23	20032	89.00	32.00	2.75	8.00	1.787
24	20126	92.00	29.50	1.15	7.50	0.794
25	20128	92.00	32.00	1.30	8.00	0.910
26	20052	101.60	44.45	1.27	8.00	1.049
27	20029	101.60	44.45	1.60	8.00	1.301
28	20146	101.60	44.45	1.90	8.50	1.534
29	20078	101.60	44.45	2.01	8.00	1.605
30	20077	101.60	44.45	2.47	8.00	1.950
31	20102	101.60	44.45	2.50	8.00	1.977
32	20067	101.60	44.45	3.00	8.00	2.342
33	20011	101.60	44.45	3.18	8.00	2.541
34	20112	101.60	44.45	3.70	8.00	2.846
35	20059	123.00	44.45	1.50	8.00	1.394
36	20136	123.00	44.45	3.00	8.00	2.687
37	20157	127.00	44.45	3.00	8.00	2.752
38	20139	127.20	25.25	1.22	8.00	1.048


## 18 MM SERIES




Sr. No.	Section No.	A	Weight Kg/m
1	20545	0.79	0.288
2	20805	0.91	0.325
3	20604	1.09	0.390
4	21585	1.19	0.418
5	20844	1.29	0.456
6	21448	1.42	0.494
7	20736	1.55	0.547
8	21513	2.00	0.695




Sr. No.	Section No.	A	Weight Kg/m
1	20547	0.79	0.289
2	20807	0.91	0.325
3	20606	1.09	0.390
4	21455	1.19	0.418
5	20846	1.29	0.456
6	21449	1.42	0.494
7	20738	1.55	0.547
8	21515	2.00	0.696




Sr. No.	Section No.	A	B	Weight Kg/m
1	20546	8.34	0.80	0.346
2	20806	9.00	0.89	0.380
3	20605	8.70	1.00	0.440
4	21454	9.00	1.19	0.507
5	20845	9.00	1.29	0.547
6	20737	9.00	1.45	0.607



Sr. No.	Section No.	A	B	Weight Kg/m
1	20811	11.00	0.91	0.390
2	20963	11.00	1.13	0.488
3	20847	10.00	1.29	0.547
4	20652	11.00	1.30	0.547
5	20750	10.00	1.56	0.651




Sr. No.	Section No.	A	B	Weight Kg/m
1	20812	23.95	0.81	0.441
2	20966	23.85	1.00	0.543
3	20681	23.25	1.30	0.659
4	20829	22.70	1.50	0.784
5	21519	22.70	2.00	0.942




Sr. No.	Section No.	A	B	Weight Kg/m
1	20813	23.95	0.85	0.497
2	20956	23.85	1.05	0.613
3	20619	23.70	1.20	0.695
4	20830	22.70	1.50	0.909
5	21520	22.70	2.00	1.087


18 MM SHUTTER SECTION




Sr. No.	Section No.	A	B	Weight Kg/m
1	20965	23.85	1.05	0.882
2	20657	23.45	1.30	1.055




Sr. No.	Section No.	A	B	Weight Kg/m
1	20816	23.60	0.95	0.683
2	20958	23.60	1.05	0.759
3	21447	23.60	1.20	0.856
4	20621	23.30	1.30	0.929
5	20831	22.70	1.50	1.060
6	21517	22.70	2.00	1.273




Sr. No.	Section No.	A	B	Weight Kg/m
1	20815	23.60	0.88	0.739
2	20957	23.60	1.10	0.911
3	21446	23.60	1.20	0.986
4	20620	23.30	1.30	1.065
5	20832	22.70	1.50	1.248
6	21516	22.70	2.00	1.490



Sr. No.	Section No.	A	B	Weight Kg/m
1	20814	22.95	1.18	1.302
2	21031	22.95	1.30	1.441
3	20617	22.70	1.50	1.659
4	21518	22.70	2.00	2.040



Sr. No.	Section No.	A	Weight Kg/m
1	20817	1.10	0.976
2	20666	1.20	1.093



Sr. No.	Section No.	A	Weight Kg/m
1	20833	1.50	1.398
2	21522	2.00	1.674

18 MM SHUTTER SECTION

Sr. No.	Section No.	A	B	Weight Kg/m
1	20818	23.90	1.00	1.093
2	20706	23.90	1.10	1.205
3	20834	22.70	1.50	1.648
4	21521	22.70	2.00	1.964

**20674** 1.829 Kg/m

**21029** 1.523 Kg/m

**21028** 1.792 Kg/m










**20893** 0.434 Kg/m

**18 X 50 Handle**

**20892** 0.527 Kg/m


**18 X 50 Interlock**

18 MM SHUTTER SECTION






25mm SERIES



Sr. No.	Section No.	A	B	C	Weight Kg/m
1	20841	43.00	1.33	9.70	0.569
2	20602	43.00	1.57	9.70	0.665
3	21030	43.00	1.98	9.70	0.828
4	21253	50.00	1.00	12.20	0.483
5	20707	50.00	1.20	12.20	0.593
6	21056	50.00	1.51	12.51	0.717

25mm Handle




Sr. No.	Section No.	A	Weight Kg/m
1	20741	1.30	0.683
2	21091	1.48	0.776


25mm Interlock

21556

0.778 Kg/m



25mm Bearing Bottom




Sr. No.	Section No.	A	Weight Kg/m
1	20639	1.15	0.678
2	20842	1.45	0.781

25mm Bearing Bottom

20921


0.584 Kg/m



25mm Middle

20634


0.619 Kg/m



25mm 2T- Top

20633


0.676 Kg/m



25mm 2T- Bottom

20676

1.075 Kg/m



25mm 2T- Hollow

25mm SERIES

Sr. No.	Section No.	A	B	Weight Kg/m
1	21032	19.10	1.40	1.005
2	20678	18.90	1.70	1.194

**25mm 3T-Top**

20798 1.160 Kg/m

**25mm 3T-Bottom**

20673 1.619 Kg/m

**25mm 3T - Hollow**

20796 1.434 Kg/m

**25mm 4T - Top**

20797 1.667 Kg/m

**25mm 4T - Bottom**

21321 2.329 Kg/m

**25mm 4T - Hollow**


21570 1.733 Kg/m

**25mm 5T - Top**

21571 2.026 Kg/m


**25mm 5T - Bottom**

25mm Tapper Series (Indian Series)




Sr. No.	Section No.	A	Weight Kg/m
1	21144	1.50	0.797
2	20715	1.70	0.886
3	21361	1.98	1.003

25mm Tapper Handle



Sr. No.	Section No.	A	Weight Kg/m
1	21145	1.50	0.985
2	20711	1.68	1.090

25mm Tapper Interlock




Sr. No.	Section No.	A	Weight Kg/m
1	21143	1.50	0.882
2	20716	2.00	1.119

25mm Tapper Bearing Bottom

20857


1.051 Kg/m




25mm Tapper Top Bottom

20801

1.237 Kg/m








25mm Topper Middle













Sr. No.	Section No.	A	B	Weight Kg/m
1	21147	32.15	1.50	1.073
2	20713	31.00	2.00	1.429

2 Track - Top










25mm Tapper Series (Indian Series)



30mm SERIES








30mm SERIES















**Exclusive**

## 20 X 54 ECONOMICAL WINDOW SERIES

<p><b>X2293</b></p>	
<p><b>SHUTTER</b></p>	
<p>12. Ft. Weight = 2.300 Kgs.</p>	
<p><b>X2291</b></p>	
<p><b>3 TRACK</b></p>	
<p>12. Ft. Weight = 3.100 Kgs.</p>	
<p><b>X2294</b></p>	
<p><b>I/L CLIP</b></p>	
<p>12. Ft. Weight = 1.000 Kgs.</p>	
<p><b>X2290</b></p>	
<p><b>4 TRACK</b></p>	
<p>12. Ft. Weight = 4.200 Kgs.</p>	
<p><b>X2292</b></p>	
<p><b>2 TRACK</b></p>	
<p>12. Ft. Weight = 2.300 Kgs.</p>	

27 x 65 SERIES






27 x 65 SERIES

21419

0.253 Kg/m




27mm Centre Meeting

X3077

0.624 Kg/m


Exclusive



27mm Single Track

21487

1.329 Kg/m




27mm 2-Track

X100574

1.022 Kg/m

Exclusive




27mm 2-Track Light

X2791

.0789 Kg/m


Exclusive



27mm 2-Track Light

21374


1.004 Kg/m



27mm 2-Track

21373


1.015 Kg/m



27mm 2-Track

21489

1.798 Kg/m




27mm 3-Track

X100573

1.414 Kg/m


Exclusive



27mm 3-Track Light







21376

1.555 Kg/m



27mm 3-Track

27 x 65 SERIES





**Exclusive**

## 25 X 65 SLIDING SYSTEM (20MM SLIM)

<p><b>92339</b></p>		
<p><b>TWO TRACK</b> Basic Model</p>		
<p>0.883 Kg/m</p>		
<p><b>92338</b></p>		
<p><b>THREE TRACK</b> Basic Model</p>		
<p>1.417 Kg/m</p>		
<p><b>92520</b></p>		
<p><b>THREE TRACK</b> Premium Model</p>		
<p>1.676 Kg/m</p>		
<p><b>92340</b></p>		
<p><b>SHUTTER</b> 4mm-8mm Single Glass Shutter</p>		
<p>0.835 Kg/m</p>		
<p><b>92503</b></p>		
<p>5mm-16mm Glass Shutter</p>		
<p>0.725 Kg/m</p>		
<p><b>92514</b></p>		
<p>Reinforcement Interlock Shutter 5mm-16mm Glass Shutter</p>		
<p>0.803 Kg/m</p>		
<p><b>92509</b></p>		
<p><b>Slim Interlock Shutter</b> 5mm-16mm Glass Shutter</p>		
<p>0.468 Kg/m</p>		



**Exclusive**

## 25 X 65 SLIDING SYSTEM (20MM SLIM)

<p><b>92341</b></p>		
<p><b>INTERLOCK CLIP</b> Universal Clip</p>		
<p>0.393 Kg/m</p>		
<p><b>91848</b></p>		
<p><b>TRACK RAIL CAP</b> "V" Type</p>		
<p><b>91322</b></p>		
<p><b>TRACK RAIL CAP</b> "U" Type</p>		
<p><b>96452</b></p>		
<p><b>LOCKING ROD</b> 15X20 Euro Groove</p>		
<p><b>91269</b></p>		
<p><b>MOSQUITO CLIP</b> Mosquito Screen Fitting Clip</p>		
<p><b>91364</b></p>		
<p><b>GLASS REDUCER CLIP</b> 4-8mm Glass</p>		

- All Material & Hardware available in ready stoke.
- All Material Available in 16 Ft.



**Exclusive**







## 30MM SLIDING TRACK RAIL CAP SYSTEM

<b>3039</b>	
<b>2 TRACK OUTER FRAME</b>	
1.190 Kg/m	
<b>3040</b>	
<b>3 TRACK OUTER FRAME</b>	
1.767 Kg/m	
<b>3031</b>	
<b>TOP / BOTTOM SHUTTER</b>	
0.871 Kg/m	
<b>3034</b>	
<b>HANDLE SHUTTER</b>	
0.988 Kg/m	
<b>3033</b>	
<b>SLIM NON KPA INTERLOCK</b>	
0.661 Kg/m	
<b>3032</b>	
<b>KPA INTERLOCK</b>	
0.925 Kg/m	



**Exclusive**


## 30MM SLIDING TRACK RAIL CAP SYSTEM

<b>3048</b>	
<b>GUIDE RAIL</b>	
0.074 Kg/m	
<b>3076</b>	
<b>MEETING SECTION</b>	
0.229 Kg/m	
<b>3046</b>	
<b>TOP COMBO PIPE 3 TRACK</b>	
1.132 Kg/m	
<b>3047</b>	
<b>BOTTOM &amp; SIDE COMBO PIPE 3 TRACK</b>	
1.200 Kg/m	
<b>3045</b>	
<b>TOP COMBO PIPE 2 TRACK</b>	
0.816 Kg/m	
<b>3044</b>	
<b>BOTTOM &amp; SIDE COMBO PIPE 2 TRACK</b>	
0.771 Kg/m	

35 x 75 SERIES

21497


3.109 Kg/m



35 mm 4 Track

21791


2.655 Kg/m



35 mm 4 Track (Single Leg)

21480


2.480 Kg/m



35 mm 3 Track

21385


1.972 Kg/m



35 mm 2 Track

21384


1.385 Kg/m



35 x 75 Sgu Shutter

21619


1.319 Kg/m



35 x 75 Dgu Shutter

X2529


0.663 Kg/m



35 mm Dgu Slim Interlock









X2531

1.252 Kg/m




35 mm Dgu Slim Interlock

CASEMENT 40 MM






**REGULAR Z CASEMENT WINDOW 42mm**




Sr. No.	Section No.	A	B	Weight Kg/m
1	20942	22.10	1.25	0.434
2	20558	21.40	1.60	0.534

**2 Track - Top**




Sr. No.	Section No.	A	Weight Kg/m
1	20943	1.35	0.651
2	20559	1.50	0.724



Sr. No.	Section No.	A	Weight Kg/m
1	20944	1.35	0.651
2	20560	1.60	0.758


**2 Track - Top**



Sr. No.	Section No.	A	B	Weight Kg/m
1	19392	1.11	9.80	0.224
2	19391	1.60	10.80	0.289


**CASEMENT 75 MM**

0.916 Kg/m




**75 mm Outer**

0.405 Kg/m




**75 mm SGU Clip**

1.373 Kg/m












**75 mm Shutter**

1.458 Kg/m














**75 mm Mullion**

CASEMENT 52 MM



COMBO TUBES





**Exclusive**

## SLIDING & FOLDING DOOR SYSTEM

<p><b>X2512</b></p>		
<p><b>S &amp; F FRAME</b> (Vertical Side Section)</p>		
<p>1.110 Kg/m</p>		
<p><b>X2523</b></p>		
<p><b>50 S &amp; F SHUTTER</b> (All Shutter Section)</p>		
<p>1.315 Kg/m</p>		
<p><b>X2513</b></p>		
<p><b>50 S &amp; F TOP GUIDE</b> (Top Roller Sliding Guide)</p>		
<p>2.568 Kg/m</p>		
<p><b>X2511</b></p>		
<p><b>S &amp; F BOTTOM GUIDE</b> (Bottom Guide section)</p>		
<p>0.902 Kg/m</p>		
<p><b>1506</b></p>		<p><b>9495</b></p>
<p><b>Single Glass Clip</b></p>		<p><b>Double Glass Clip</b></p>
<p>0.241 Kg/m</p>		<p>0.229 Kg/m</p>

CURTAIN WALL

0.775 Kg/m

Sr. No.	Section No.	A	B	C	Weight Kg/m
1	22715	64.00	2.00	2.00	1.777
2	22713	101.60	2.10	2.00	2.187
3	22702	101.60	3.00	2.50	2.664
4	22714	101.60	4.00	3.00	3.124

0.869 Kg/m

Sr. No.	Section No.	A	Weight Kg/m
1	22703	14.00	1.751
2	22741	18.00	1.869

**22711** 0.434 Kg/m

**22712** 0.343 Kg/m





**22736** 1.039 Kg/m

Sr. No.	Section No.	A	B	C	D	Weight Kg/m
1	22736	81.16	50.00	2.00	2.00	1.615
2	22737	131.16	100.00	3.70	2.20	2.594
3	35553	151.16	120.00	2.80	2.80	3.143
4	35508	151.16	120.00	3.70	2.35	2.947



**22738** 1.197 Kg/m

Sr. No.	Section No.	A	Weight Kg/m
1	22738	81.16	1.294
2	22739	131.16	1.881

**CURTAIN WALL**







**12MM MALE FEMALE SECTION**



PRE SLOTTED TUBES

<b>55x40mm</b> Weight per 12Ft = 3.5 Kg.	<b>55x40mm</b> Weight per 12Ft = 2.9 Kg.	<b>70 x 20mm</b> Weight per 12Ft = 3.5 Kg.	<b>70 x 20mm</b> Weight per 12Ft = 3 Kg.
<b>50 x 25mm</b> Weight per 12Ft = 1.9 Kg.	<b>50 x 50mm</b> Weight per 12Ft = 2.8 Kg.	<b>50 x 25mm</b> Weight per 12Ft = 1.2 Kg.	<b>70 x 12mm</b> Weight per 12Ft = 2.8 Kg.
<b>50 x 12mm</b> Weight per 12Ft = 1.8 Kg.	<b>75 x 50mm</b> Weight per 12Ft = 6 Kg.	<b>50 x 20mm</b> Weight per 12Ft = 2.1 Kg.	<b>63 x 40mm</b> Weight per 12Ft = 3.6 Kg.
<b>100 x 25mm</b> Weight per 12Ft = 4.7 Kg.	<b>100 x 40mm</b> Weight per 12Ft = 5.8 Kg.	<b>100 x 20mm</b> Weight per 12Ft = 3.3 Kg.	<b>100 x 12mm</b> Weight per 12Ft = 2.8 Kg.
<b>75 x 40 mm</b> Weight per 12Ft = 3.4 Kg.	<b>75 x 40mm</b> Weight per 12Ft = 4.4 Kg.	<b>75 x 50mm</b> Weight per 12Ft = 3.8 Kg.	<b>75 x 25mm</b> Weight per 12Ft = 2.8 Kg.
<b>100 x 50mm</b> Weight per 12Ft = 6.3 Kg.	<b>100 x 25mm</b> Weight per 12Ft = 3.3 Kg.		

RAILING PROFILE



**Brackets with Continuous Cover Profile Glass Supporting System**

The base supporting brackets are installed on fully finished floor, ceramic tiles, marble, wooden flooring or on a balcony parapet.

The brackets are anchored with the bolts which can be easily removed if required without any damage to the floor or the system.

The brackets are covered with oval shape fascia profiles in anodized, PVDF, wood as well as any other shades of powder coating.

The system is compatible with glass of 12mm thickness and of 900mm height.

**Bracket Profile Glass Supporting System**

It is an on floor glass supporting system with aluminium brackets. Ideal for the construction of glass railing on a floor or on a parapet by using a special base profile.

The system is compatible with glass of 12mm thickness and of 900mm height.



**JOINTERS**




**Cutting Size**

25 x 25 x 18mm
25 x 25 x 25mm
25 x 25 x 36mm
25 x 25 x 45mm
38 x 38 x 7mm
38 x 38 x 9mm
38 x 38 x 11mm
38 x 38 x 12mm
38 x 38 x 16mm
38 x 38 x 18mm
38 x 38 x 25mm
38 x 38 x 30mm
38 x 38 x 38mm
38 x 38 x 45mm
38 x 38 x 50mm
50 x 50 x 12mm
50 x 50 x 18mm
50 x 50 x 25mm
50 x 50 x 38mm
50 x 50 x 50mm

	<b>45 mm</b>
	<b>38mm</b>
	<b>30mm</b>
	<b>25mm</b>
	<b>18mm</b>
	<b>16mm</b>
	<b>12mm</b>
	<b>9mm</b>
	<b>7mm</b>



GEORGION BARS





Aluminium Grills




Aluminium Sheets & Coils




Sliding Window Bearings



Sliding Window Locks



Silicon Woolfile & Glass EPDM



Louvers



Website



Digital Card

# MAHARASHTRA ALUMINIUM CENTRE

**Regd. Office :**

X-Point Building, Shop No. 3,  
Plot No. 379, S.V. Road,  
Near Shatabdi Hospital,  
Opp. Astha Hospital,  
Kandivali (West), Mumbai - 400 067.

☎ : +91-22-35724333

☎ : +91 9372827489 / 7900198539

: +91 98337 11636 (Hiten Shah)

✉ : mac\_alumi@yahoo.co.in

@ : maharashtra\_aluminium\_centre

[www.maharashtraaluminium.com](http://www.maharashtraaluminium.com)