


ROUND TUBES



SL. No.	Section No.	ØA	B	Weight kg/m
1	13422	5.60	1.20	0.045
2	13311	6.20	0.90	0.040
3	13125	6.20	1.20	0.050
4	13176	6.35	1.50	0.062
5	13245	6.35	2.07	0.075
6	13118	7.40	1.50	0.075
7	13286	7.75	1.00	0.057
8	13481	7.80	1.00	0.058
9	13255	8.00	1.00	0.059
10	13355	8.00	1.20	0.069
11	13036	8.00	1.27	0.072
12	13063	8.00	1.50	0.083
13	13445	8.00	2.00	0.102
14	13149	8.30	1.45	0.084
15	13265	8.80	2.65	0.138
16	13208	9.00	0.64	0.046
17	13329	9.05	1.00	0.0628
18	13326	9.20	0.78	0.056
19	13284	9.35	0.55	0.041
20	13209	9.35	0.64	0.048
21	13163	9.50	1.35	0.093
22	13144	9.52	0.78	0.058
23	13003	9.52	0.92	0.067
24	13210	9.52	1.00	0.073
25	13303	9.52	1.13	0.080
26	13001	9.52	1.22	0.086
27	13002	9.52	1.63	0.109
28	S2677	9.70	1.40	0.099
29	13394	10.00	0.80	0.062
30	S2420	10.00	0.82	0.064
31	13097	10.00	1.00	0.076
32	13093	10.00	1.50	0.108
33	13436	10.50	0.51	0.043
34	13381	10.50	1.70	0.127
35	13159	10.80	1.40	0.112
36	13207	11.00	0.48	0.043
37	13488	11.00	3.00	0.204
38	13396	11.10	1.00	0.086
39	13277	11.11	1.60	0.129
40	13227	11.70	0.65	0.061
41	13231	12.00	0.48	0.047
42	13181	12.00	0.55	0.054
43	13145	12.00	0.72	0.068
44	13130	12.00	0.91	0.086
45	13128	12.00	1.00	0.093
46	13462	12.00	3.00	0.229
47	13004	12.70	0.86	0.086
48	13005	12.70	1.19	0.116
49	13006	12.70	1.63	0.153

SL. No.	Section No.	ØA	B	Weight kg/m
50	13007	12.70	2.03	0.184
51	13058	12.70	2.20	0.196
52	13263	13.00	1.00	0.102
53	13126	13.00	1.85	0.175
54	13234	14.00	1.55	0.164
55	13237	14.00	3.10	0.287
56	13266	14.00	4.25	0.351
57	13270	14.00	3.35	0.302
58	13067	14.50	1.22	0.137
59	13211	15.00	0.54	0.066
60	13182	15.00	0.60	0.073
61	13008	15.00	2.00	0.221
62	13267	15.00	4.75	0.413
63	13228	15.20	0.72	0.088
64	13465	15.40	3.20	0.331
65	13009	15.88	0.92	0.117
66	13212	15.88	0.96	0.121
67	13010	15.88	1.22	0.152
68	13011	15.88	1.63	0.197
69	13459	15.88	2.00	0.235
70	13012	15.88	2.38	0.272
71	13274	16.00	1.00	0.127
72	13070	16.00	2.20	0.257
73	13124	16.00	2.75	0.309
74	13334	16.90	2.45	0.300
75	13232	17.00	0.56	0.078
76	13169	17.00	2.60	0.318
77	13071	17.10	2.10	0.267
78	13346	17.50	5.55	0.562
79	13157	18.00	0.60	0.089
80	13492	18.00	1.30	0.184
81	13132	18.00	1.63	0.226
82	13185	18.00	2.00	0.271
83	13213	18.50	0.54	0.082
84	13183	18.50	0.60	0.091
85	13146	18.50	0.72	0.108
86	13165	19.00	1.15	0.174
87	13335	19.00	2.65	0.367
88	13257	19.05	0.82	0.127
89	13013	19.05	0.92	0.141
90	13214	19.05	0.95	0.145
91	13014	19.05	1.12	0.171
92	13368	19.05	1.20	0.182
93	13304	19.05	1.30	0.195
94	13015	19.05	1.63	0.241
95	13016	19.05	1.70	0.249
96	13460	19.05	2.00	0.289
97	13017	19.05	2.50	0.351
98	13461	19.05	3.18	0.428
99	13072	19.60	2.30	0.337
100	13150	19.60	2.40	0.350
101	13035	19.60	3.05	0.428
102	13347	19.80	6.20	0.715
103	13359	20.00	1.00	0.161
104	13018	20.00	1.25	0.199
105	13409	20.00	1.50	0.235
106	13113	20.00	1.63	0.254

SL. No.	Section No.	ØA	B	Weight kg/m
107	13251	20.00	3.15	0.450
108	13272	21.00	5.10	0.688
109	13336	21.10	3.00	0.460
110	13107	21.20	2.55	0.403
111	13073	21.50	2.50	0.403
112	13485	21.50	3.75	0.565
113	13168	21.70	3.10	0.489
114	13262	22.00	0.55	0.099
115	13253	22.00	0.85	0.152
116	S2827	22.00	1.25	0.220
117	S2826	22.00	1.60	0.277
118	13238	22.00	4.10	0.623
119	13377	22.00	4.85	0.706
120	13019	22.22	0.88	0.159
121	13376	22.22	1.20	0.214
122	13061	22.22	1.60	0.280
123	13278	22.23	1.00	0.180
124	13314	23.00	5.00	0.763
125	13384	23.00	1.40	0.257
126	13427	23.00	3.00	0.509
127	13108	23.70	2.85	0.504
128	13337	23.90	3.65	0.626
129	13147	24.00	0.84	0.165
130	13308	24.00	1.25	0.241
131	13133	24.00	1.63	0.309
132	13080	24.00	2.75	0.496
133	13486	24.50	0.90	0.180
134	S2325	25.00	1.00	0.204
135	13117	25.00	1.22	0.246
136	13034	25.00	1.50	0.299
137	13363	25.00	1.50	0.299
138	13470	25.00	1.50	0.299
139	13020	25.00	2.00	0.390
140	13021	25.00	2.50	0.447
141	13122	25.00	4.00	0.713
142	13378	25.00	6.45	1.015
143	13369	25.40	0.83	0.173
144	13215	25.40	0.87	0.181
145	13222	25.40	1.00	0.207
146	13305	25.40	1.06	0.219
147	13022	25.40	1.22	0.250
148	13306	25.40	1.22	0.250
149	13023	25.40	1.60	0.323
150	13129	25.40	1.90	0.379
151	13090	25.40	3.20	0.603
152	13293	25.40	5.95	0.981
153	13444	25.91	4.63	0.836
154	13441	26.00	3.00	0.585
155	13479	26.00	3.50	0.668
156	13184	26.90	2.30	0.480
157	13186	27.00	2.50	0.520
158	13127	27.00	3.00	0.611
159	13109	27.00	3.20	0.646
160	13318	27.00	5.50	1.003
161	13338	27.20	3.95	0.779
162	13387	27.50	1.50	0.331
163	13360	28.00	1.00	0.229
164	13401	28.00	1.60	0.358

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
165	13110	28.00	3.00	0.636
166	13038	28.00	4.00	0.814
167	13315	28.00	9.50	1.491
168	13114	28.60	1.63	0.373
169	13081	28.60	3.30	0.708
170	13429	28.70	2.28	0.511
171	13417	29.00	1.00	0.238
172	13235	29.00	2.50	0.562
173	13386	30.00	0.70	0.174
174	13260	30.00	0.77	0.191
175	13382	30.00	1.00	0.246
176	13047	30.00	1.50	0.363
177	13264	30.00	2.00	0.475
178	13379	30.00	2.30	0.540
179	13190	30.00	2.50	0.583
180	13101	30.00	5.25	1.102
181	13171	30.00	6.65	1.318
182	13068	30.00	7.25	1.399
183	13024	30.10	1.22	0.299
184	13339	30.20	4.20	0.926
185	13104	30.40	1.20	0.297
186	13240	30.50	2.25	0.539
187	13111	31.00	3.50	0.816
188	13254	31.75	0.95	0.248
189	13229	31.75	1.05	0.273
190	13025	31.75	1.22	0.316
191	13026	31.75	1.63	0.416
192	13027	31.75	2.00	0.505
193	13094	31.75	3.18	0.771
194	13458	31.80	4.50	1.042
195	13328	32.00	1.20	0.314
196	13248	32.00	1.60	0.412
197	13100	32.00	2.00	0.509
198	13082	32.00	3.50	0.846
199	13066	32.00	4.00	0.950
200	13375	32.00	4.50	1.050
201	13496	32.00	8.00	1.629
202	13137	33.00	3.50	0.875
203	13483	33.00	6.20	1.409
204	13044	33.00	6.25	1.418
205	13358	33.80	1.50	0.411
206	13199	34.00	5.75	1.378
207	13447	34.00	8.75	1.874
208	13342	34.80	4.90	1.242
209	13442	35.00	1.20	0.344
210	13393	35.00	3.00	0.814
211	13202	35.00	4.50	1.164
212	13316	35.00	7.00	1.663
213	13446	35.90	4.95	1.300
214	13135	36.00	2.00	0.576
215	13102	36.00	3.00	0.840
216	13103	36.00	4.00	1.085
217	13443	36.00	8.00	1.900
218	13250	36.50	3.00	0.852
219	13079	36.54	1.27	0.380
220	13203	37.00	3.00	0.865
221	13388	37.00	5.00	1.357
222	13083	37.50	4.25	1.198

SL. No.	Section No.	ØA	B	Weight kg/m
223	13256	37.90	1.70	0.722
224	13411	38.00	1.20	0.375
225	13091	38.00	2.00	0.611
226	13323	38.00	5.90	1.606
227	13057	38.00	6.50	1.737
228	13385	38.00	6.75	1.789
229	13367	38.00	7.50	1.940
230	13224	38.10	1.30	0.405
231	13028	38.10	1.63	0.504
232	13029	38.10	2.00	0.612
233	13030	38.10	2.50	0.755
234	13060	38.10	3.96	1.147
235	13099	38.10	7.55	1.956
236	13140	38.20	3.20	0.950
237	13041	39.00	8.00	2.103
238	13340	39.10	5.45	1.555
239	13480	40.00	1.20	0.395
240	13078	40.00	1.50	0.490
241	13048	40.00	2.00	0.645
242	13152	40.00	2.50	0.795
243	13098	40.00	3.00	0.941
244	13134	40.00	4.00	1.221
245	13370	40.00	5.00	1.484
246	S2825	40.00	7.00	1.959
247	13389	40.00	8.00	2.171
248	13276	40.00	11.00	2.705
249	13489	40.80	4.00	1.249
250	13174	41.00	5.00	1.527
251	13416	41.80	4.56	1.440
252	13089	42.00	2.00	0.679
253	13319	42.00	7.50	2.195
254	13412	42.00	11.50	2.975
255	13419	42.16	4.85	1.535
256	13449	42.20	4.925	1.557
257	13197	43.00	3.00	1.017
258	13383	43.00	5.00	1.612
259	13116	43.00	7.00	2.137
260	13468	44.00	3.00	1.043
261	13194	44.00	10.00	2.884
262	13341	44.40	6.35	2.049
263	13096	45.00	2.00	0.729
264	13077	45.00	2.50	0.901
265	13200	45.00	4.00	1.391
266	13331	45.00	5.00	1.696
267	13487	45.00	14.00	3.681
268	13494	45.30	10.90	3.181
269	13084	46.00	5.00	1.738
270	13136	46.00	5.50	1.889
271	13310	46.00	6.00	2.035
272	13188	48.00	2.00	0.780
273	13298	48.00	4.00	1.492
274	13138	48.00	5.00	1.823
275	13056	48.00	8.75	2.913
276	13088	48.00	9.00	2.977
277	13408	48.16	4.51	1.670
278	13172	48.26	3.68	1.391
279	13420	48.26	5.08	1.861
280	S2103	48.30	04.00	1.503
281	13271	50.00	1.50	0.617

SL. No.	Section No.	ØA	B	Weight kg/m
282	13467	50.00	2.00	0.814
283	13064	50.00	2.50	1.007
284	13065	50.00	3.00	1.196
285	13121	50.00	5.00	1.908
286	13327	50.00	6.00	2.239
287	13371	50.00	7.50	2.704
288	13469	50.15	2.50	1.010
289	13131	50.20	3.10	1.238
290	13031	50.80	1.63	0.680
291	13032	50.80	2.03	0.840
292	13033	50.80	2.50	1.024
293	13414	50.80	3.00	1.216
294	13282	50.80	6.35	2.400
295	13112	51.00	6.00	2.290
296	13042	52.00	7.00	2.672
297	13037	52.00	9.50	3.425
298	13437	54.00	1.60	0.711
299	13170	54.00	10.00	3.732
300	13268	55.00	2.50	1.113
301	13398	55.80	7.35	3.021
302	13039	56.35	3.18	1.434
303	13085	57.00	6.75	2.877
304	S2781	57.00	18.00	5.955
305	13049	57.60	2.90	1.346
306	13372	58.80	11.50	4.614
307	13062	59.50	4.50	2.099
308	13075	60.00	2.00	0.984
309	13395	60.00	2.50	1.219
310	13196	60.00	10.00	4.241
311	13438	60.00	20.00	6.786
312	13218	60.32	3.91	1.870
313	13236	60.33	5.54	2.575
314	13239	62.00	6.37	3.005
315	13050	63.00	1.60	0.833
316	S2459	63.00	2.00	1.035
317	13453	63.00	3.00	1.527
318	13404	63.00	4.00	2.002
319	13397	63.00	9.00	4.122
320	13059	63.50	3.18	1.627
321	13139	63.50	7.00	3.354
322	13448	64.00	6.00	2.952
323	13175	65.00	1.00	0.542
324	13119	66.00	6.00	3.053
325	13241	66.20	3.05	1.633
326	13046	69.35	3.18	1.782
327	13166	69.50	12.50	6.043
328	S2821	70.00	5.00	2.757
329	13040	70.00	17.50	7.793
330	13451	70.50	19.75	8.502
331	13299	72.00	12.00	6.107
332	13153	73.03	5.16	2.970
333	13086	73.03	7.01	3.926
334	13087	74.20	2.60	1.579
335	13233	75.00	3.00	1.832
336	13193	75.00	18.00	8.702
337	13269	76.00	2.50	1.559
338	13115	76.00	7.00	4.096
339	S2384	76.05	23.05	10.565
340	13187	76.10	4.50	2.732

ROUND TUBES


SL. No.	Section No.	ØA	B	Weight kg/m
341	13225	76.20	1.30	0.825
342	13259	76.20	1.60	1.012
343	13141	76.20	3.18	1.970
344	13281	76.20	6.35	3.762
345	13051	76.20	9.50	5.375
346	13471	78.18	4.00	2.517
347	13217	80.00	2.50	1.643
348	13120	80.00	4.00	2.579
349	13349	80.00	5.00	3.180
350	13191	80.00	6.00	3.766
351	13391	80.00	8.00	4.886
352	13164	80.00	15.00	8.270
353	13324	80.00	25.00	11.663
354	13216	82.00	7.00	4.453
355	13261	82.00	21.50	11.033
356	13092	82.55	3.20	2.154
357	13313	85.00	1.30	0.922
358	13189	86.00	8.00	5.293
359	13364	86.00	9.25	6.022
360	13045	86.35	3.18	2.243
361	13365	87.00	14.00	8.669
362	13154	88.90	4.05	2.915
363	13106	88.90	5.36	3.798
364	13430	88.90	5.49	3.884
365	13142	88.90	6.35	4.446
366	13295	88.90	7.62	5.253
367	13493	88.90	9.52	6.410
368	13162	90.00	3.50	2.568
369	13074	90.00	4.00	2.918
370	13055	90.00	17.50	10.762
371	13192	91.80	3.30	2.477
372	S2812	92.00	22.00	13.063
373	13204	96.00	11.50	8.243
374	13179	96.00	19.50	12.653
375	13320	96.50	5.00	3.880
376	13198	96.50	10.00	7.337
377	13423	98.00	4.00	3.189
378	13258	98.00	26.00	15.878
379	13421	99.50	5.00	4.008
380	S2316	100.00	2.50	2.174
381	13095	100.00	3.20	2.627
382	S2729	100.00	5.00	4.029
383	13242	100.00	4.00	3.257
384	13252	100.00	8.00	6.243
385	13219	101.60	3.20	2.671
386	13069	101.60	5.74	4.667
387	13296	101.60	8.08	6.409
388	13407	101.60	10.00	7.770
389	13495	101.60	19.05	13.339
390	13322	102.00	12.00	9.160
391	13151	108.00	3.00	2.672
392	13344	109.00	2.00	1.815
393	13455	110.00	5.00	4.453
394	13160	112.00	1.90	1.774
395	13178	112.00	11.50	9.803
396	13491	113.50	7.20	6.492
397	13158	114.30	6.35	5.814
398	13330	114.30	8.56	7.678
399	13076	114.50	4.50	4.199

SL. No.	Section No.	ØA	B	Weight kg/m
400	13490	114.50	5.50	5.085
401	13380	117.70	11.75	10.560
402	13345	118.00	2.00	1.967
403	13348	120.00	1.50	1.507
404	S2772	120.00	3.00	2.977
405	13366	120.65	6.35	6.156
406	13399	122.00	23.50	19.634
407	S2730	122.50	30.00	23.538
408	S2553	125.00	2.00	2.087
409	13173	125.00	6.50	6.533
410	13053	125.00	7.00	7.006
411	13413	125.00	12.00	11.502
412	13052	125.00	20.00	17.813
413	13321	127.00	3.50	3.666
414	13201	130.00	7.50	7.793
415	13390	130.00	9.00	9.237
416	13450	130.00	28.50	24.537
417	13454	132.00	5.00	5.386
418	S2711	133.00	4.00	4.377
419	13105	133.00	5.00	5.429
420	S2282	133.00	28.00	24.938
421	13374	135.00	32.50	28.257
422	13301	136.00	16.50	16.725
423	13283	137.00	26.00	24.480
424	13392	139.70	7.35	8.251
425	13405	140.00	4.00	4.614
426	13432	140.00	9.00	10.001
427	13424	140.00	10.50	11.534
428	13477	141.30	9.53	10.652
429	13279	143.00	6.00	6.972
430	13439	143.00	29.00	28.042
431	13457	144.00	35.25	32.516
432	13357	145.00	7.50	8.747
433	13244	145.00	32.50	31.013
434	S2637	146.00	17.50	19.075
435	13426	147.00	4.50	5.439
436	13361	150.00	2.00	2.511
437	S2822	150.00	5.00	6.150
438	13476	152.00	10.00	12.045
439	13400	152.00	31.00	31.817
440	13484	153.50	13.25	15.763
441	S2731	153.60	44.00	40.905
442	13406	154.00	4.00	5.089
443	S2317	155.00	2.50	3.234
444	S2149	155.00	7.50	16.210
445	13373	155.00	16.00	18.865
446	13456	156.00	29.50	31.654
447	S2712	158.00	4.00	5.225
448	13246	159.00	4.50	5.897
449	13123	160.00	5.50	7.208
450	13440	160.00	5.50	7.208
451	13428	160.00	6.00	7.838
452	13402	160.00	8.00	10.314
453	13249	162.00	11.00	14.089
454	S2683	165.00	4.50	6.126
455	13474	165.00	44.50	45.484
456	13351	168.00	4.50	6.240
457	13415	168.00	7.50	10.210
458	S2533	168.00	26.00	31.317

SL. No.	Section No.	ØA	B	Weight kg/m
459	S2817	168.30	10.97	14.640
460	S2713	169.00	4.50	6.279
461	S2735	170.00	5.00	6.998
462	13290	172.00	10.00	13.741
463	13287	172.00	17.00	22.350
464	S2680	173.00	19.00	24.819
465	13285	173.00	24.00	30.333
466	13161	173.80	6.40	9.087
467	13425	175.00	15.00	20.358
468	13289	177.80	12.70	17.785
469	S2256	178.00	20.50	27.387
470	13433	180.00	6.50	9.566
471	13275	180.00	15.00	20.993
472	13352	184.00	4.50	6.851
473	13356	184.50	6.00	9.084
474	13247	190.00	5.00	7.846
475	S2818	195.00	13.50	20.784
476	13350	195.00	17.50	26.348
477	13354	195.00	25.00	36.050
478	13452	195.00	29.50	41.413
479	13353	200.00	4.50	7.462
480	13403	200.00	8.00	13.029
481	13497	202.00	9.53	15.559
482	13472	202.00	18.50	28.795
483	S2684	205.00	5.00	8.482
484	13280	205.00	27.00	40.765
485	13418	206.00	8.50	14.24
486	13464	207.00	28.50	43.152
487	S2738	210.00	5.00	8.694
488	S2152	210.00	15.00	24.811
489	S2714	210.25	5.00	8.705
490	S2407	220.00	6.50	11.771
491	S2542	220.00	17.50	30.059
492	13478	225.00	5.00	9.331
493	13434	225.00	6.50	12.047
494	13475	226.00	11.00	20.061
495	S2737	230.00	5.00	9.543
496	13410	235.00	8.00	15.404
497	13463	242.00	19.50	36.803
498	13482	250.00	5.00	10.391
499	13473	252.00	17.00	33.887
500	S2715	260.00	5.00	10.815
501	S2736	270.00	5.00	11.239
502	S2150	270.00	14.00	30.401
503	13431	271.00	8.00	17.847
504	13435	275.00	7.50	17.018
505	S2739	290.00	5.00	12.087


IRRIGATION TUBES & SQUARE TUBES

IRRIGATION TUBES



SL. No.	Section No.	ØA	B	Weight kg/m
1	13981	50.80	1.27	0.534
2	13987	63.50	1.27	0.670
3	13982	76.20	1.27	0.807
4	13983	101.60	1.27	1.080
5	13984	127.00	1.32	1.407
6	13985	152.40	1.47	1.882
7	13986	203.20	1.92	3.278

SQUARE TUBES



SL. No.	Section No.	A	B	Weight kg/m
1	14490	11.00	0.60	0.067
2	14519	12.00	0.55	0.068
3	14481	12.00	0.64	0.078
4	14527	12.20	1.20	0.143
5	14485	12.70	0.81	0.104
6	14451	12.70	1.22	0.151
7	14452	12.70	1.63	0.195
8	14502	15.88	1.27	0.200
9	14491	16.00	1.00	0.162
10	14478	17.00	0.62	0.109
11	14474	17.50	1.44	0.245
12	14472	18.00	1.22	0.221
13	S2655	18.00	2.00	0.345
14	14512	18.15	0.64	0.121
15	14486	18.50	0.69	0.133
16	14496	18.50	0.90	0.171
17	14482	19.05	1.13	0.219
18	14453	19.05	1.22	0.235
19	14454	19.05	1.63	0.307
20	14521	20.00	1.50	0.299
21	14509	20.00	1.70	0.335
22	14483	22.50	0.55	0.130
23	14479	22.50	0.63	0.148
24	14487	23.00	0.76	0.182
25	14477	23.50	0.87	0.212
26	14469	23.50	1.02	0.247
27	14520	24.50	0.67	0.172
28	14470	25.00	1.50	0.381
29	14504	25.00	1.80	0.451
30	14516	25.00	2.80	0.671
31	14476	25.40	0.90	0.238

SL. No.	Section No.	A	B	Weight kg/m
32	14466	25.40	1.25	0.326
33	14455	25.40	1.63	0.418
34	14456	25.40	2.00	0.505
35	14465	25.40	2.41	0.598
36	14523	28.00	2.00	0.562
37	14505	30.00	1.80	0.548
38	14497	30.00	3.00	0.874
39	14467	31.75	1.25	0.412
40	14457	31.75	1.63	0.530
41	14458	31.75	2.00	0.643
42	14475	32.00	2.60	0.825
43	14488	35.00	0.93	0.342
44	14513	35.00	2.00	0.712
45	14524	37.50	0.80	0.317
46	14468	38.10	1.25	0.497
47	14511	38.10	1.37	0.547
48	14459	38.10	1.63	0.642
49	14460	38.10	2.13	0.827
50	14461	38.10	2.41	0.929
51	14518	40.00	0.80	0.339
52	14506	40.00	1.80	0.743
53	14480	40.00	3.00	1.198
54	14514	40.00	2.85	1.143
55	14522	44.45	2.00	0.917
56	14473	44.46	3.20	1.426
57	14471	50.00	1.18	0.621
58	14525	50.00	1.50	0.785
59	14510	50.00	1.70	0.887
60	14462	50.00	2.00	1.037
61	14515	50.00	2.30	1.185
62	14503	50.00	2.70	1.379
63	14463	50.80	2.40	1.254
64	14464	50.80	3.05	1.573
65	14498	60.00	4.00	2.419
66	14500	62.00	3.80	2.388
67	14489	62.00	5.00	3.078
68	14492	63.50	2.38	1.571
69	14507	75.00	2.70	2.108
70	14526	75.00	3.20	2.481
71	14493	76.20	2.38	1.897
72	14494	87.00	3.80	3.415
73	14484	87.00	4.00	3.586
74	14495	87.00	5.00	4.428
75	14508	100.00	3.00	3.142
76	14517	101.60	3.18	3.374
77	14528	150.00	3.00	4.763
78	S2506	200.00	4.00	8.467